PRISTINBIO
PEPTIDE DETECTION LABORATORY

TEST REPORT

www.pristinbio.com


SAMPLE INFORMATION

Test For :	**FLASK Peptide**		
Sample :	**Retatrutide**	**Lot Number :**	**9038JT**
Appearance :	**White Powder**	**CAS No. :**	**2381089-83-2**
Received :	**2026-10-15**	**Analysis :**	**2026-10-19**

TEST RESULTS

Test Items	Result
Peptide Purity (HPLC)	**99.89 %**
Mass Spectrum	**Detected**


HPLC CHROMATOGRAM



Published by FLASK · Lot 9038JT · verify at flaskpeptide.com/verify

RT [min]	Type	Width [min]	Area	Height	Area%
4.358	MM m	0.5158	13795.2291	1898.7490	99.8912
5.318	MM m	0.2643	15.0226	2.1062	0.1088

MASS SPECTRUM IMAGE



Tested by
Wei Zhang 2026-10-19

AUTHENTICATION QR
Scan to verify on pristinbio.com
ACCESS CODE: ePJt

Checked by
Peng Li 2026-10-19

This analysis intended for informational purposes only and specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.

Published by FLASK · Lot 9038JT · verify at flaskpeptide.com/verify